



Texas Water Development Board Groundwater Database Reports



Infrequent Constituent Report

County: Galveston

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6425701							
	5 / 9 / 1966	1	01020	BORON, DISSOLVED (UG/L AS B)		340.	
	5 / 9 / 1966	1	01045	IRON, TOTAL (UG/L AS FE)		70.	
6428901							
	8 / 24 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		460	
6429701							
	8 / 24 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		936	
6429702							
	8 / 25 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		916	
6429703							
	8 / 25 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		886	
6433101							
	11 / 8 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	10 / 1 / 1963	1	01020	BORON, DISSOLVED (UG/L AS B)		560.	
	10 / 5 / 1963	1	01020	BORON, DISSOLVED (UG/L AS B)		330.	
	10 / 12 / 1963	1	01020	BORON, DISSOLVED (UG/L AS B)		860.	
	10 / 1 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		60.	
	10 / 5 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		40.	
	10 / 12 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		20.	
	12 / 13 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		70.	
	12 / 13 / 1963	2	01045	IRON, TOTAL (UG/L AS FE)		40.	
6433102							
	2 / 7 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	2 / 7 / 1964	2	01045	IRON, TOTAL (UG/L AS FE)		0.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6433103							
	11 / 17 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	11 / 20 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
6433110							
	5 / 16 / 1974	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	5 / 16 / 1974	1	01055	MANGANESE, TOTAL (UG/L AS MN)		0.	
6433301							
	5 / 27 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		25	
	5 / 11 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	
	11 / 8 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	5 / 9 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		25	
	5 / 7 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		29	
	11 / 12 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	
	5 / 12 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	11 / 6 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	4 / 1 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	8 / 14 / 1962	1	01020	BORON, DISSOLVED (UG/L AS B)		500.	
	8 / 14 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	7 / 17 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
6433303							
	11 / 2 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		100	
6433402							
	1 / 12 / 1966	1	01045	IRON, TOTAL (UG/L AS FE)		6700.	
	1 / 13 / 1966	1	01045	IRON, TOTAL (UG/L AS FE)		700.	
	1 / 14 / 1966	1	01045	IRON, TOTAL (UG/L AS FE)		400.	
	2 / 11 / 1966	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
6433701							
	5 / 11 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	5 / 18 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6433707	11 / 10 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		82	
	5 / 19 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		29	
	5 / 10 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		36	
	11 / 8 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	5 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	11 / 12 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	11 / 13 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	5 / 25 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		47	
	5 / 4 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	11 / 16 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	4 / 19 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	5 / 13 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
	7 / 18 / 1963	1	01020	BORON, DISSOLVED (UG/L AS B)		400.	
	7 / 18 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
6433708	1 / 31 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		19	
	5 / 14 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	
	5 / 14 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		52	
6433710	5 / 9 / 1955	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	5 / 11 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	5 / 16 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	4 / 22 / 1997	1	00010	TEMPERATURE, WATER (CELSIUS)		24.6	
	5 / 1 / 2001	1	00010	TEMPERATURE, WATER (CELSIUS)		24.4	
	7 / 10 / 1990	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-124.6	
	7 / 10 / 1990	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.88	
	4 / 22 / 1997	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.93	
	7 / 10 / 1990	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 10 / 1990	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 10 / 1990	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.3	
	4 / 22 / 1997	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.61	
	4 / 22 / 1997	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	5 / 1 / 2001	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 10 / 1990	1	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)		0.33	
	7 / 10 / 1990	1	00680	CARBON, TOTAL ORGANIC (MG/L AS C)		7	
	11 / 13 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		41	
	5 / 25 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		39	
	11 / 16 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	5 / 13 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		36	
	7 / 10 / 1990	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10	
	4 / 22 / 1997	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		2	
	5 / 1 / 2001	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 10 / 1990	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		78	
	4 / 22 / 1997	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		82.4	
	5 / 1 / 2001	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		71.6	
	4 / 22 / 1997	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5 / 1 / 2001	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7 / 10 / 1990	1	01020	BORON, DISSOLVED (UG/L AS B)		580	
	4 / 22 / 1997	1	01020	BORON, DISSOLVED (UG/L AS B)		418	
	5 / 1 / 2001	1	01020	BORON, DISSOLVED (UG/L AS B)		471	
	7 / 10 / 1990	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10	
	5 / 1 / 2001	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	7 / 10 / 1990	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20	
	5 / 1 / 2001	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	4 / 22 / 1997	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	5 / 1 / 2001	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7 / 10 / 1990	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 22 / 1997	1	01040	COPPER, DISSOLVED (UG/L AS CU)		4.4	
	5 / 1 / 2001	1	01040	COPPER, DISSOLVED (UG/L AS CU)		10.0	
	7 / 10 / 1990	1	01046	IRON, DISSOLVED (UG/L AS FE)		260	
	4 / 22 / 1997	1	01046	IRON, DISSOLVED (UG/L AS FE)		292.2	
	5 / 1 / 2001	1	01046	IRON, DISSOLVED (UG/L AS FE)		248	
	7 / 10 / 1990	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50	
	4 / 22 / 1997	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	5 / 1 / 2001	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 10 / 1990	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	20	
	4 / 22 / 1997	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		21.6	
	5 / 1 / 2001	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		12.7	
	4 / 22 / 1997	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5 / 1 / 2001	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7 / 10 / 1990	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	20	
	4 / 22 / 1997	1	01060	MOLYBDENUM, DISSOLVED, UG/L		9.3	
	5 / 1 / 2001	1	01060	MOLYBDENUM, DISSOLVED, UG/L		10.1	
	4 / 22 / 1997	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		2.1	
	5 / 1 / 2001	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	7 / 10 / 1990	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10	
	4 / 22 / 1997	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		156	
	5 / 1 / 2001	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		128	
	7 / 10 / 1990	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	20	
	4 / 22 / 1997	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		9.5	
	5 / 1 / 2001	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	7 / 10 / 1990	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20	
	4 / 22 / 1997	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		7.4	
	5 / 1 / 2001	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		12.1	
	4 / 22 / 1997	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	5 / 1 / 2001	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6433801	7 / 10 / 1990	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	50	
	4 / 22 / 1997	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		2.8	
	5 / 1 / 2001	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	4 / 22 / 1997	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		11.7	
	5 / 1 / 2001	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		11.6	
	7 / 10 / 1990	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2	
	4 / 22 / 1997	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	
	5 / 1 / 2001	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	7 / 10 / 1990	1	01503	ALPHA, DISSOLVED (PC/L)	<	2.0	
	7 / 10 / 1990	1	03503	BETA, DISSOLVED (PC/L)	<	4.0	
	5 / 1 / 2001	1	04241	GROSS ALPHA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		0.8	1.4
	5 / 1 / 2001	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		2.2	2
	7 / 10 / 1990	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		422	
	4 / 22 / 1997	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		424.0	
	5 / 1 / 2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		420	
	7 / 10 / 1990	1	71865	IODIDE (MG/L AS I)	<	0.1	
	4 / 22 / 1997	1	71865	IODIDE (MG/L AS I)	<	0.15	
	7 / 10 / 1990	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.6	
	4 / 22 / 1997	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.5	
	5 / 1 / 2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.353	
	7 / 10 / 1990	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	
	5 / 16 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	5 / 12 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		21	
	5 / 3 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		20	
	11 / 16 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		21	
	5 / 4 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	
	8 / 11 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		21	
	5 / 1 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6433802	11 / 6 /1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		35	
	5 /21 /1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	
	5 /19 /1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	5 /16 /1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		23	
	11 /12 /1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	4 / 2 /1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		23	
	11 /13 /1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		31	
	5 /25 /1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	11 / 9 /1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	
	4 /19 /1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		21	
	11 /12 /1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	5 /13 /1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		31	
	7 /26 /1962	1	01020	BORON, DISSOLVED (UG/L AS B)		500.	
	7 /18 /1963	1	01020	BORON, DISSOLVED (UG/L AS B)		500.	
	7 /26 /1962	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	7 /18 /1963	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	5 /12 /1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		31	
	9 /11 /1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	5 /19 /1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		33	
	11 / 9 /1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		35	
6433803	5 / 4 /1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	11 /16 /1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		31	
	5 /13 /1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	7 /26 /1962	1	01020	BORON, DISSOLVED (UG/L AS B)		500.	
	7 /26 /1962	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	4 /22 /1997	1	00010	TEMPERATURE, WATER (CELSIUS)		25.4	
	7 / 9 /1990	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-133.0	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 9 / 1990	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.62	
	4 / 22 / 1997	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.85	
	7 / 9 / 1990	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 9 / 1990	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 9 / 1990	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.9	
	4 / 22 / 1997	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.51	
	4 / 22 / 1997	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	7 / 9 / 1990	1	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)		0.14	
	5 / 21 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		36	
	5 / 18 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		37	
	5 / 19 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
	4 / 2 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
	11 / 9 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		36	
	4 / 19 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		36	
	11 / 12 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		39	
	5 / 13 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		39	
	7 / 9 / 1990	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10	
	4 / 22 / 1997	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		3	
	7 / 9 / 1990	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		177	
	4 / 22 / 1997	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		148	
	4 / 22 / 1997	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7 / 18 / 1963	1	01020	BORON, DISSOLVED (UG/L AS B)		500.	
	7 / 9 / 1990	1	01020	BORON, DISSOLVED (UG/L AS B)		620	
	4 / 22 / 1997	1	01020	BORON, DISSOLVED (UG/L AS B)		481	
	7 / 9 / 1990	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10	
	7 / 9 / 1990	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20	
	4 / 22 / 1997	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7 / 9 / 1990	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20	
	4 / 22 / 1997	1	01040	COPPER, DISSOLVED (UG/L AS CU)		6.6	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 9 / 1990	1	01046	IRON, DISSOLVED (UG/L AS FE)		402	
	4 / 22 / 1997	1	01046	IRON, DISSOLVED (UG/L AS FE)		1445	
	7 / 9 / 1990	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50	
	4 / 22 / 1997	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 9 / 1990	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		56	
	4 / 22 / 1997	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		63.8	
	4 / 22 / 1997	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7 / 9 / 1990	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	20	
	4 / 22 / 1997	1	01060	MOLYBDENUM, DISSOLVED, UG/L		6.7	
	4 / 22 / 1997	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		2.3	
	7 / 9 / 1990	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10	
	4 / 22 / 1997	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		257	
	7 / 9 / 1990	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	20	
	4 / 22 / 1997	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		9.8	
	7 / 9 / 1990	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20	
	4 / 22 / 1997	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		17.9	
	4 / 22 / 1997	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	7 / 9 / 1990	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	50	
	4 / 22 / 1997	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		1.6	
	4 / 22 / 1997	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		19.7	
	7 / 9 / 1990	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2	
	4 / 22 / 1997	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	
	7 / 9 / 1990	1	01503	ALPHA, DISSOLVED (PC/L)	<	2.0	
	7 / 9 / 1990	1	03503	BETA, DISSOLVED (PC/L)		6.9	4
	7 / 9 / 1990	1	32101	BROMODICHLOROMETHANE, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	32102	CARBON TETRACHLORIDE, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	32103	1,2-DICHLOROETHANE, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	32104	BROMOFORM, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	32105	DIBROMOCHLOROMETHANE, TOTAL, UG/L	<	2.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 9 / 1990	1	32106	CHLOROFORM, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	34200	ACENAPHTHYLENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34205	ACENAPHTHENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34220	ANTHRACENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34230	BENZO(B)FLUORANTHENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34242	BENZO(K)FLUORANTHENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34247	BENZO-(A)-PYRENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34253	A-BHC-ALPHA, TOTAL, UG/L	<	11.	
	7 / 9 / 1990	1	34255	B-BHC-BETA, TOTAL, UG/L	<	.03	
	7 / 9 / 1990	1	34273	BIS (2-CHLOROETHYL) ETHER, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34278	BIS (2-CHLOROETHOXY) METHANE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34283	BIS (2-CHLOROISOPROPYL) ETHER, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34301	CHLOROBENZENE, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	34311	CHLOROETHANE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34320	CHRYSENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34336	DIETHYL PHTHALATE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34341	DIMETHYL PHTHALATE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34346	1,2-DIPHENYLHYDRAZINE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34351	ENDOSULFAN SULFATE, TOTAL, UG/L	<	21.	
	7 / 9 / 1990	1	34356	ENDOSULFAN - BETA, TOTAL, UG/L	<	21.	
	7 / 9 / 1990	1	34361	ENDOSULFAN - ALPHA, TOTAL, UG/L	<	21.	
	7 / 9 / 1990	1	34366	ENDRIN ALDEHYDE, TOTAL, UG/L	<	11.	
	7 / 9 / 1990	1	34376	FLUORANTHENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34381	FLUORENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34386	HEXACHLOROCYCLOPENTADIENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34396	HEXACHLOROETHANE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34403	INDENO (1,2,3-CD) PYRENE	<	5.	
	7 / 9 / 1990	1	34408	ISOPHORONE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34423	METHYLENE CHLORIDE, TOTAL, UG/L	<	2.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 9 / 1990	1	34428	N-NITROSO-DI-N-PROPYLAMINE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34433	N-NITROSODIPHENYLAMINE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34438	N-NITROSODIMETHLAMINE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34447	NITROBENZENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34461	PHENANTHRENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34469	PYRENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34476	TETRACHLOROETHYLENE, DISSOLVED, UG/L	<	2.	
	7 / 9 / 1990	1	34488	TRICHLOROFLUOROMETHANE, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	34496	1,1-DICHLOROETHANE, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	34501	1,1-DICHLOROETHYLENE, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	34506	1,1,1-TRICHLOROETHANE, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	34511	1,1,2-TRICHLOROETHANE, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	34516	1,1,2,2-TETRACHLOROETHANE, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	34521	BENZO(GHI)PERYLENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34527	BENZO(A) ANTHRACENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34536	1,2-DICHLOROBENZENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34541	1,2-DICHLOROPROPANE, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	34551	1,2,4-TRICHLOROBENZENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34566	1,3-DICHLOROBENZENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34571	1,4-DICHLOROBENZENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34576	2-CHLOROETHYL VINYL ETHER, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	34581	2-CHLORONAPHTHALENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34591	2-NITROPHENOL, TOTAL, UG/L	<	11.	
	7 / 9 / 1990	1	34596	DI-N-OCTYL PHTHALATE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34601	2,4-DICHLOROPHENOL, TOTAL, UG/L	<	11.	
	7 / 9 / 1990	1	34606	2,4-DIMETHYLPHENOL, TOTAL, UG/L	<	11.	
	7 / 9 / 1990	1	34611	2,4-DINITROTOLUENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34616	2,4-DINITROPHENOL, TOTAL, UG/L	<	21.	
	7 / 9 / 1990	1	34621	2,4,6-TRICHLOROPHENOL, TOTAL, UG/L	<	11.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 9 / 1990	1	34626	2,6-DINITROTOLUENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34631	3,3'-DICHLOROBENZIDINE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34636	4-BROMOPHENYL PHENYL ETHER, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34641	4-CHLOROPHENYL PHENYL ETHER, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	34646	4-NITROPHENOL, TOTAL, UG/L	<	21.	
	7 / 9 / 1990	1	34671	PCB- 1016, TOTAL, UG/L	<	.6	
	7 / 9 / 1990	1	34694	PHENOL, TOTAL, UG/L	<	11.	
	7 / 9 / 1990	1	34696	NAPHTHALENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	39032	PENTACHLOROPHENOL (PCP), TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	39045	2,4,5-TP INCLUDES ACIDS & SALTS IN WATER, UG/L	<	5.	
	7 / 9 / 1990	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		312	
	4 / 22 / 1997	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		406.0	
	7 / 9 / 1990	1	39100	BIS(2-ETHYLHEXYL) PHTHALATE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	39110	DI-N-BUTYL PHTHALATE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	39120	BENZIDINE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	39175	VINYL CHLORIDE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	39180	TRICHLOROETHYLENE, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	39330	ALDRIN, TOTAL, UG/L	<	.2	
	7 / 9 / 1990	1	39340	GAMMA-BHC (LINDANE), TOTAL, UG/L	<	11.	
	7 / 9 / 1990	1	39350	CHLORDANE, TOTAL, UG/L	<	.2	
	7 / 9 / 1990	1	39360	DDD, TOTAL, UG/L	<	.15	
	7 / 9 / 1990	1	39365	DDE, TOTAL, UG/L	<	.1	
	7 / 9 / 1990	1	39370	DDT, TOTAL, UG/L	<	.15	
	7 / 9 / 1990	1	39380	DIELDRIN, TOTAL, UG/L	<	.1	
	7 / 9 / 1990	1	39388	ENDOSULFAN, TOTAL, UG/L	<	.2	
	7 / 9 / 1990	1	39390	ENDRIN, TOTAL, UG/L	<	.2	
	7 / 9 / 1990	1	39400	TOXAPHENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	39410	HEPTACHLOR, TOTAL, UG/L	<	.02	
	7 / 9 / 1990	1	39420	HEPTACHLOR EPOXIDE, TOTAL, UG/L	<	.06	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 9 / 1990	1	39480	METHOXYCHLOR, TOTAL, UG/L	<	.5	
	7 / 9 / 1990	1	39488	PCB - 1221, TOTAL, UG/L	<	1.	
	7 / 9 / 1990	1	39492	PCB - 1232, TOTAL, UG/L	<	.8	
	7 / 9 / 1990	1	39496	PCB - 1242, TOTAL, UG/L	<	.5	
	7 / 9 / 1990	1	39500	PCB - 1248, TOTAL, UG/L	<	.5	
	7 / 9 / 1990	1	39504	PCB - 1254, TOTAL, UG/L	<	.8	
	7 / 9 / 1990	1	39508	PCB - 1260, TOTAL, UG/L	<	.8	
	7 / 9 / 1990	1	39530	MALATHION, TOTAL, UG/L	<	.4	
	7 / 9 / 1990	1	39570	DIAZINON, TOTAL, UG/L	<	.3	
	7 / 9 / 1990	1	39600	METHYL PARATHION, TOTAL, UG/L	<	.25	
	7 / 9 / 1990	1	39700	HEXACHLOROBENZENE (HCB), TOTAL, UG/L	<	.02	
	7 / 9 / 1990	1	39702	HEXACHLOROBUTADIENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	39720	PICLORAM, TOTAL, UG/L	<	3.	
	7 / 9 / 1990	1	39730	2,4-D, TOTAL, UG/L	<	20.	
	7 / 9 / 1990	1	39740	2,4,5-T, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	39770	DACTHAL (DCPA), TOTAL, UG/L	<	.05	
	7 / 9 / 1990	1	39782	LINDANE, TOTAL, UG/L	<	.03	
	7 / 9 / 1990	1	46315	ETHYL PARATHION, TOTAL, UG/L	<	.25	
	7 / 9 / 1990	1	46323	DELTA-BHC, TOTAL, UG/L	<	.03	
	7 / 9 / 1990	1	50001	TRANS-1,2-DICHLOROETHYLENE, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	50002	TRANS-1,3-DICHLOROPROPYLENE, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	50003	CIS-1,3-DICHLOROPROPYLENE, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	51002	2,6-DINITRO-2-CRESOL, TOTAL, UG/L	<	21.	
	7 / 9 / 1990	1	51003	BUTYLBENZYL PHTHALATE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	51004	DIBENZO (A,H) ANTHRACENE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	51005	4,4'-DDE, TOTAL, UG/L	<	11.	
	7 / 9 / 1990	1	51006	4,4'-DDD, TOTAL, UG/L	<	11.	
	7 / 9 / 1990	1	51007	4,4'-DDT, TOTAL, UG/L	<	11.	
	7 / 9 / 1990	1	71865	IODIDE (MG/L AS I)	<	0.1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6433804	4 / 22 / 1997	1	71865	IODIDE (MG/L AS I)	<	0.15	
	7 / 9 / 1990	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.6	
	4 / 22 / 1997	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.05	
	7 / 9 / 1990	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	
	7 / 9 / 1990	1	77421	4-CHLORO-3-CRESOL, TOTAL, UG/L	<	11.	
	7 / 9 / 1990	1	77579	DIPHENYLAMINE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	77825	ALACHLOR, TOTAL, UG/L	<	.1	
	7 / 9 / 1990	1	77966	CHLOROPHENOL, TOTAL, UG/L	<	11.	
	7 / 9 / 1990	1	78113	ETHYLBENZENE IN WATER, UG/L	<	2.	
	7 / 9 / 1990	1	78124	BENZENE, VOLATILE ANALYSIS, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	78131	TOLUENE, VOLATILE ANALYSIS, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	78383	BROMOMETHANE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	79132	CHLOROMETHANE, TOTAL, UG/L	<	5.	
	7 / 9 / 1990	1	81403	DURBAN (CHLOROPYRIFOS), TOTAL, UG/L	<	.6	
	7 / 9 / 1990	1	81551	XYLENE, TOTAL, UG/L	<	2.	
	7 / 9 / 1990	1	81649	PCB - 1262 (ARACLOR), TOTAL, UG/L	<	.8	
	7 / 9 / 1990	1	82052	BANVEL (DICAMBA), TOTAL, UG/L	<	1.	
	5 / 21 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		48	
	11 / 12 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		52	
	5 / 18 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		63	
	11 / 10 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		82	
	5 / 19 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		75	
	5 / 19 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		97	
	5 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		93	
	11 / 12 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		88	
	4 / 2 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		92	
	11 / 13 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		88	
	5 / 25 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		74	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6433807	11 / 9 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		85	
	11 / 16 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		82	
	4 / 19 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		81	
	11 / 12 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		84	
	5 / 13 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		82	
	5 / 11 / 1964	1	01020	BORON, DISSOLVED (UG/L AS B)		300.	
6433814	5 / 19 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		40	
	7 / 10 / 1990	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-64.0	
	7 / 10 / 1990	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.27	
	7 / 10 / 1990	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 10 / 1990	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 10 / 1990	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.4	
	7 / 10 / 1990	1	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)		0.06	
	7 / 10 / 1990	1	00680	CARBON, TOTAL ORGANIC (MG/L AS C)		1	
	11 / 13 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		110	
	5 / 25 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		81	
	11 / 9 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		76	
	5 / 4 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		78	
	11 / 16 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		76	
	4 / 19 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		76	
	5 / 13 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		84	
	7 / 10 / 1990	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10	
	7 / 10 / 1990	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		468	
	7 / 10 / 1990	1	01020	BORON, DISSOLVED (UG/L AS B)		590	
	7 / 10 / 1990	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10	
	7 / 10 / 1990	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20	
	7 / 10 / 1990	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6433901	7 / 10 / 1990	1	01046	IRON, DISSOLVED (UG/L AS FE)		131	
	7 / 10 / 1990	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50	
	7 / 10 / 1990	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		51	
	7 / 10 / 1990	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	20	
	7 / 10 / 1990	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10	
	7 / 10 / 1990	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	20	
	7 / 10 / 1990	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20	
	7 / 10 / 1990	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	50	
	7 / 10 / 1990	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2	
	7 / 10 / 1990	1	01503	ALPHA, DISSOLVED (PC/L)		3.3	3.4
	7 / 10 / 1990	1	03503	BETA, DISSOLVED (PC/L)	<	4.0	
	7 / 10 / 1990	1	09503	RADIUM 226, DISSOLVED, PC/L		0.8	0.2
	7 / 10 / 1990	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		274	
	7 / 10 / 1990	1	71865	IODIDE (MG/L AS I)	<	0.1	
	7 / 10 / 1990	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.8	
	7 / 10 / 1990	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	
	7 / 10 / 1990	1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)	<	1.0	
6433902	5 / 16 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	4 / 2 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	11 / 13 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	5 / 25 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		43	
	11 / 9 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		33	
	5 / 4 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	4 / 19 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	5 / 13 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		44	
	7 / 26 / 1962	1	01020	BORON, DISSOLVED (UG/L AS B)		600.	
	7 / 26 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		100.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6433903	5 / 7 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	5 / 14 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		21	
	11 / 23 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	11 / 10 / 1955	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	5 / 7 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	
	11 / 7 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	5 / 16 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		27	
	5 / 12 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	11 / 3 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		23	
	5 / 3 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	11 / 16 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		23	
	5 / 4 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	
	8 / 11 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		23	
	5 / 1 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	11 / 15 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	11 / 12 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		25	
	5 / 19 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	5 / 10 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	11 / 8 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	5 / 8 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	4 / 2 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		27	
	11 / 13 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		27	
	5 / 25 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		33	
	5 / 4 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	4 / 19 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	11 / 12 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		27	
	5 / 13 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	11 / 16 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		27	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6433904	11 / 23 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	5 / 16 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		37	
	5 / 19 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		39	
	5 / 10 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		39	
	11 / 8 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	5 / 25 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		40	
	11 / 9 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		35	
	5 / 4 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		41	
	4 / 19 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	11 / 12 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		37	
	5 / 13 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		41	
	7 / 18 / 1963	1	01020	BORON, DISSOLVED (UG/L AS B)		400.	
	7 / 18 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	5 / 7 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	11 / 6 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		23	
	5 / 14 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		20	
	11 / 23 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		40	
	11 / 10 / 1955	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		25	
	5 / 7 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	5 / 3 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	11 / 16 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	11 / 6 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	11 / 12 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	11 / 10 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	5 / 10 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		31	
	11 / 8 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	5 / 14 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	11 / 12 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6433905	4 / 2 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	11 / 13 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		29	
	5 / 25 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
	5 / 4 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	11 / 16 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	4 / 19 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		27	
	5 / 13 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	7 / 26 / 1962	1	01020	BORON, DISSOLVED (UG/L AS B)		500.	
	11 / 16 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	5 / 16 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		25	
	5 / 12 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		25	
	8 / 11 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		23	
	7 / 18 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	11 / 6 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	5 / 21 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		27	
	11 / 12 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		23	
	5 / 19 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	5 / 8 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	11 / 12 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	4 / 2 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
6433907	5 / 25 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	11 / 9 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	11 / 16 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	11 / 12 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	7 / 26 / 1962	1	01020	BORON, DISSOLVED (UG/L AS B)		500.	
	7 / 26 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	5 / 8 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6433908	5 / 13 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		20	
	5 / 8 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	5 / 3 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	
	7 / 30 / 1962	1	01020	BORON, DISSOLVED (UG/L AS B)		500.	
	7 / 30 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
6433912	11 / 16 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
6433915	8 / 16 / 1967	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
6434901	4 / 18 / 1973	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	4 / 20 / 1973	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	7 / 16 / 1973	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	7 / 16 / 1973	2	01045	IRON, TOTAL (UG/L AS FE)		100.	
	7 / 16 / 1973	3	01045	IRON, TOTAL (UG/L AS FE)		100.	
6434901	4 / 24 / 1997	1	00010	TEMPERATURE, WATER (CELSIUS)		28.4	
	6 / 15 / 2006	1	00010	TEMPERATURE, WATER (CELSIUS)		28.2	
	8 / 27 / 2009	1	00010	TEMPERATURE, WATER (CELSIUS)		27.2	
	4 / 24 / 1997	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-11.5	
	8 / 27 / 2009	1	00300	OXYGEN, DISSOLVED (MG/L)		4.2	
	4 / 24 / 1997	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		1.02	
	4 / 24 / 1997	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.12	
	4 / 24 / 1997	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	6 / 15 / 2006	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	8 / 27 / 2009	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	8 / 27 / 2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.179	
	4 / 24 / 1997	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		15.2	
	6 / 15 / 2006	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		14	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	8 / 27 / 2009	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		84.5	
	4 / 24 / 1997	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		225	
	6 / 15 / 2006	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		264	
	8 / 27 / 2009	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		257	
	4 / 24 / 1997	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 15 / 2006	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	8 / 27 / 2009	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	7 / 8 / 1965	1	01020	BORON, DISSOLVED (UG/L AS B)		700.	
	4 / 24 / 1997	1	01020	BORON, DISSOLVED (UG/L AS B)		600	
	6 / 15 / 2006	1	01020	BORON, DISSOLVED (UG/L AS B)		633	
	8 / 27 / 2009	1	01020	BORON, DISSOLVED (UG/L AS B)		666	
	6 / 15 / 2006	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	8 / 27 / 2009	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	6 / 15 / 2006	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		5	
	8 / 27 / 2009	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02	
	4 / 24 / 1997	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 15 / 2006	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	8 / 27 / 2009	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	4 / 24 / 1997	1	01040	COPPER, DISSOLVED (UG/L AS CU)		6.4	
	6 / 15 / 2006	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	8 / 27 / 2009	1	01040	COPPER, DISSOLVED (UG/L AS CU)		3.95	
	7 / 8 / 1965	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	4 / 24 / 1997	1	01046	IRON, DISSOLVED (UG/L AS FE)		83.6	
	6 / 15 / 2006	1	01046	IRON, DISSOLVED (UG/L AS FE)		77	
	8 / 27 / 2009	1	01046	IRON, DISSOLVED (UG/L AS FE)		54	
	4 / 24 / 1997	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 15 / 2006	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	8 / 27 / 2009	1	01049	LEAD, DISSOLVED (UG/L AS PB)		1.73	
	4 / 24 / 1997	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		13.6	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 15 / 2006	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		14	
	8 / 27 / 2009	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		11.5	
	4 / 24 / 1997	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 15 / 2006	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	8 / 27 / 2009	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	4 / 24 / 1997	1	01060	MOLYBDENUM, DISSOLVED, UG/L		11	
	6 / 15 / 2006	1	01060	MOLYBDENUM, DISSOLVED, UG/L		12	
	8 / 27 / 2009	1	01060	MOLYBDENUM, DISSOLVED, UG/L		10.4	
	4 / 24 / 1997	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.8	
	8 / 27 / 2009	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.02	
	4 / 24 / 1997	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		319	
	6 / 15 / 2006	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		371	
	8 / 27 / 2009	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		395	
	4 / 24 / 1997	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		8.8	
	6 / 15 / 2006	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1	
	8 / 27 / 2009	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	4 / 24 / 1997	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		2.3	
	6 / 15 / 2006	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		2	
	8 / 27 / 2009	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		21.8	
	4 / 24 / 1997	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 15 / 2006	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	8 / 27 / 2009	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	4 / 24 / 1997	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		2.4	
	6 / 15 / 2006	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		1	
	8 / 27 / 2009	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	4 / 24 / 1997	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		31	
	6 / 15 / 2006	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		29	
	8 / 27 / 2009	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		29.4	
	4 / 24 / 1997	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6435405	6 / 15 / 2006	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)		2	
	8 / 27 / 2009	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	8 / 27 / 2009	1	01503	ALPHA, DISSOLVED (PC/L)		13.4	5.8
	6 / 15 / 2006	1	07012	TRITIUM IN WATER (TRITIUM UNITS)		0.16	0.09
	8 / 27 / 2009	1	09511	RADIUM 226, DISSOLVED, RADON METHOD, PC/L	<	0.2	0.14
	8 / 27 / 2009	1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.02	
	4 / 24 / 1997	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		412.0	
	6 / 15 / 2006	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		460	
	8 / 27 / 2009	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		404	
	8 / 27 / 2009	1	50938	ANION/CATION CHG BAL, PERCENT		-1.98	
	4 / 24 / 1997	1	71865	IODIDE (MG/L AS I)	<	0.15	
	4 / 24 / 1997	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.5	
	6 / 15 / 2006	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.96	
	8 / 27 / 2009	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.20	
	8 / 27 / 2009	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
	8 / 27 / 2009	1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)		1.3	0.7
	10 / 3 / 1966	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	10 / 3 / 1966	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	8 / 23 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		940	
	8 / 23 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		340	
	8 / 24 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		370	
	5 / 8 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		66	
	5 / 14 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		55	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6441103	5 / 9 / 1955	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		76	
	5 / 11 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		52	
	5 / 16 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		70	
	5 / 6 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		62	
	4 / 29 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		54	
	5 / 5 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		54	
	8 / 16 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		94	
	7 / 26 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		82	
	5 / 18 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		88	
	5 / 27 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		82	
	5 / 13 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		90	
	4 / 9 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		88	
	5 / 11 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		91	
	5 / 20 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		120	
	5 / 14 / 1969	1	01020	BORON, DISSOLVED (UG/L AS B)		300.	
	4 / 22 / 1997	1	00010	TEMPERATURE, WATER (CELSIUS)		26.0	
	5 / 1 / 2001	1	00010	TEMPERATURE, WATER (CELSIUS)		27.1	
	6 / 15 / 2006	1	00010	TEMPERATURE, WATER (CELSIUS)		28.0	
	7 / 19 / 1990	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		59.1	
	7 / 18 / 1990	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.33	
	4 / 22 / 1997	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.29	
	7 / 18 / 1990	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 18 / 1990	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 18 / 1990	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.5	
	4 / 22 / 1997	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		2.41	
	4 / 22 / 1997	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	5 / 1 / 2001	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6 / 15 / 2006	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 18 / 1990	1	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)		0.12	
	7 / 19 / 1990	1	00680	CARBON, TOTAL ORGANIC (MG/L AS C)		2	
	1 / 29 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		29	
	5 / 14 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		29	
	5 / 9 / 1955	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	5 / 11 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	5 / 16 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		35	
	5 / 6 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
	4 / 28 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		36	
	5 / 5 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		46	
	8 / 16 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		46	
	7 / 26 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		43	
	5 / 27 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		59	
	5 / 18 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		50	
	5 / 14 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		71	
	4 / 9 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		72	
	5 / 11 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		73	
	4 / 23 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		72	
	5 / 20 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		76	
	7 / 18 / 1990	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10	
	4 / 22 / 1997	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		1.8	
	5 / 1 / 2001	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		2.04	
	6 / 15 / 2006	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		3	
	7 / 18 / 1990	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		246	
	4 / 22 / 1997	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		191	
	5 / 1 / 2001	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		187	
	6 / 15 / 2006	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		224	
	4 / 22 / 1997	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5 / 1 / 2001	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 15 / 2006	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5 / 18 / 1964	1	01020	BORON, DISSOLVED (UG/L AS B)		300.	
	7 / 19 / 1990	1	01020	BORON, DISSOLVED (UG/L AS B)		470	
	4 / 22 / 1997	1	01020	BORON, DISSOLVED (UG/L AS B)		302	
	5 / 1 / 2001	1	01020	BORON, DISSOLVED (UG/L AS B)		307	
	6 / 15 / 2006	1	01020	BORON, DISSOLVED (UG/L AS B)		303	
	7 / 18 / 1990	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10	
	5 / 1 / 2001	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6 / 15 / 2006	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	7 / 18 / 1990	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20	
	5 / 1 / 2001	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	6 / 15 / 2006	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3	
	4 / 22 / 1997	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	5 / 1 / 2001	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 15 / 2006	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7 / 18 / 1990	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20	
	4 / 22 / 1997	1	01040	COPPER, DISSOLVED (UG/L AS CU)		3.4	
	5 / 1 / 2001	1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.47	
	6 / 15 / 2006	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	7 / 18 / 1990	1	01046	IRON, DISSOLVED (UG/L AS FE)		149	
	4 / 22 / 1997	1	01046	IRON, DISSOLVED (UG/L AS FE)		270.5	
	5 / 1 / 2001	1	01046	IRON, DISSOLVED (UG/L AS FE)		297	
	6 / 15 / 2006	1	01046	IRON, DISSOLVED (UG/L AS FE)		238	
	7 / 18 / 1990	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50	
	4 / 22 / 1997	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	5 / 1 / 2001	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 15 / 2006	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 18 / 1990	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		60	
	4 / 22 / 1997	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		45	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 1 / 2001	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		47.5	
	6 / 15 / 2006	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		51	
	4 / 22 / 1997	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5 / 1 / 2001	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 15 / 2006	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7 / 18 / 1990	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	20	
	4 / 22 / 1997	1	01060	MOLYBDENUM, DISSOLVED, UG/L		3.4	
	5 / 1 / 2001	1	01060	MOLYBDENUM, DISSOLVED, UG/L		2.62	
	6 / 15 / 2006	1	01060	MOLYBDENUM, DISSOLVED, UG/L		3	
	4 / 22 / 1997	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		2.3	
	5 / 1 / 2001	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	7 / 18 / 1990	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10	
	4 / 22 / 1997	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		357	
	5 / 1 / 2001	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		345	
	6 / 15 / 2006	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		397	
	7 / 18 / 1990	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	20	
	4 / 22 / 1997	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		7.3	
	5 / 1 / 2001	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6 / 15 / 2006	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	7 / 18 / 1990	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20	
	4 / 22 / 1997	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		28.6	
	5 / 1 / 2001	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	6 / 15 / 2006	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		4	
	4 / 22 / 1997	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	5 / 1 / 2001	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 15 / 2006	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	7 / 18 / 1990	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	50	
	4 / 22 / 1997	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		2	
	5 / 1 / 2001	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6441114	6 / 15 / 2006	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	1	
	4 / 22 / 1997	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		19.1	
	5 / 1 / 2001	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		18.6	
	6 / 15 / 2006	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		19	
	7 / 18 / 1990	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2	
	4 / 22 / 1997	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	
	5 / 1 / 2001	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6 / 15 / 2006	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1	
	7 / 18 / 1990	1	01503	ALPHA, DISSOLVED (PC/L)		5.7	3
	7 / 18 / 1990	1	03503	BETA, DISSOLVED (PC/L)	<	4.0	
	5 / 1 / 2001	1	04241	GROSS ALPHA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		0.0	1.2
	5 / 1 / 2001	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		2.0	3.1
	7 / 18 / 1990	1	09503	RADIUM 226, DISSOLVED, PC/L		0.4	0.2
	7 / 19 / 1990	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		295	
	4 / 22 / 1997	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		304.0	
	5 / 1 / 2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		296	
	6 / 15 / 2006	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		296	
	7 / 19 / 1990	1	71865	IODIDE (MG/L AS I)	<	0.1	
	4 / 22 / 1997	1	71865	IODIDE (MG/L AS I)	<	0.15	
	7 / 19 / 1990	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.5	
	4 / 22 / 1997	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.5	
	5 / 1 / 2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.355	
	6 / 15 / 2006	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.3	
	7 / 18 / 1990	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	
	7 / 18 / 1990	1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)	<	1.0	
	7 / 30 / 1970	1	01020	BORON, DISSOLVED (UG/L AS B)		0.	
	2 / 14 / 1966	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	2 / 22 / 1966	1	01045	IRON, TOTAL (UG/L AS FE)		200.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6441202	7 / 30 / 1970	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	7 / 30 / 1970	1	01055	MANGANESE, TOTAL (UG/L AS MN)		0.	
	5 / 16 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
	4 / 28 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		20	
	9 / 1 / 1956	1	01045	IRON, TOTAL (UG/L AS FE)		400.	
6441303	7 / 26 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	5 / 7 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		118	
	5 / 13 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		112	
	5 / 14 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		82	
	5 / 4 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		82	
6441305	5 / 9 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		106	
	5 / 14 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		129	
	5 / 20 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		120	
	11 / 13 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		125	
	5 / 4 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		103	
6441306	5 / 9 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		103	
	5 / 12 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		106	
	5 / 7 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		126	
	4 / 8 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		120	
	4 / 23 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		130	
	5 / 20 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		130	
	5 / 7 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		25	
	5 / 13 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	5 / 14 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	5 / 4 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6441310	5 / 14 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		135	
	5 / 14 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		129	
	11 / 8 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		130	
	5 / 15 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		130	
	5 / 20 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		140	
6441312	5 / 8 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		129	
	5 / 13 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		130	
	5 / 8 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		121	
	7 / 18 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
6441905	5 / 19 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		41	
	5 / 15 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		25	
	4 / 23 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	5 / 20 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		27	
	12 / 23 / 1969	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
6449207	10 / 6 / 1972	1	01020	BORON, DISSOLVED (UG/L AS B)		400.	
	10 / 6 / 1972	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	10 / 6 / 1972	1	01055	MANGANESE, TOTAL (UG/L AS MN)		0.	
6449401	11 / 17 / 1969	1	01020	BORON, DISSOLVED (UG/L AS B)		900.	
	4 / 16 / 1969	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	11 / 17 / 1969	1	01045	IRON, TOTAL (UG/L AS FE)		500.	
6449401	11 / 17 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		145	
	5 / 14 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		150	
	5 / 15 / 1969	1	01020	BORON, DISSOLVED (UG/L AS B)		900.	
	5 / 15 / 1969	1	01045	IRON, TOTAL (UG/L AS FE)		700.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6449403							
	5 / 8 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		110	
	11 / 9 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		150	
6449501							
	11 / 15 / 1957	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		111	
	5 / 8 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		111	
6531707							
	1 / 7 / 1967	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
6531801							
	11 / 10 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		74	
	5 / 17 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		67	
	5 / 14 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		65	
	5 / 15 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		70	
	8 / 15 / 1961	1	01045	IRON, TOTAL (UG/L AS FE)		700.	
	5 / 19 / 1966	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
6531805							
	5 / 19 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		84	
	4 / 9 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		84	
	5 / 21 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		84	
6532516							
	7 / 17 / 1963	1	01020	BORON, DISSOLVED (UG/L AS B)		400.	
	7 / 17 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
6532524							
	5 / 8 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	5 / 23 / 1966	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	6 / 10 / 1966	1	01045	IRON, TOTAL (UG/L AS FE)		300.	
6532712							
	5 / 19 / 1964	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6532713	5 / 19 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	5 / 19 / 1964	1	01020	BORON, DISSOLVED (UG/L AS B)		300.	
	5 / 19 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
6532716	11 / 10 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		41	
	11 / 6 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		41	
	5 / 1 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		42	
	5 / 4 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		41	
	5 / 26 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		40	
	11 / 18 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		40	
	11 / 7 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		47	
	5 / 8 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		41	
	5 / 7 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		42	
	11 / 14 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
	5 / 12 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		41	
	11 / 5 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		40	
	3 / 31 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		40	
	5 / 14 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		41	
	11 / 2 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
	11 / 21 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		35	
	4 / 13 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		40	
	5 / 8 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		39	
6532720	5 / 4 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	8 / 16 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	7 / 30 / 1962	1	01020	BORON, DISSOLVED (UG/L AS B)		300.	
	7 / 30 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
6532726							

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6532741	8 / 16 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		36	
	8 / 27 / 2009	1	00010	TEMPERATURE, WATER (CELSIUS)		25.4	
	8 / 27 / 2009	1	00300	OXYGEN, DISSOLVED (MG/L)		1.5	
	8 / 27 / 2009	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	8 / 27 / 2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.044	
	8 / 27 / 2009	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	8 / 27 / 2009	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		81.3	
	8 / 27 / 2009	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	8 / 27 / 2009	1	01020	BORON, DISSOLVED (UG/L AS B)		139	
	8 / 27 / 2009	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	8 / 27 / 2009	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.15	
	8 / 27 / 2009	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	8 / 27 / 2009	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02	
	8 / 27 / 2009	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	8 / 27 / 2009	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	8 / 27 / 2009	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		22.2	
	8 / 27 / 2009	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	8 / 27 / 2009	1	01060	MOLYBDENUM, DISSOLVED, UG/L		2.68	
	8 / 27 / 2009	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.02	
	8 / 27 / 2009	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		236	
	8 / 27 / 2009	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	8 / 27 / 2009	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	
	8 / 27 / 2009	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	8 / 27 / 2009	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	8 / 27 / 2009	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		12.1	
	8 / 27 / 2009	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	8 / 27 / 2009	1	01503	ALPHA, DISSOLVED (PC/L)		4.0	1.5
	8 / 27 / 2009	1	09511	RADIUM 226, DISSOLVED, RADON METHOD, PC/L	<	0.2	0.12

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6532901	8 / 27 / 2009	1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.02	
	8 / 27 / 2009	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		218	
	8 / 27 / 2009	1	50938	ANION/CATION CHG BAL, PERCENT		-0.18	
	8 / 27 / 2009	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.16	
	8 / 27 / 2009	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
	8 / 27 / 2009	1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)	<	1.0	0.6
	5 / 4 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		36	
	5 / 26 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		77	
	5 / 13 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		50	
	5 / 16 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
	7 / 23 / 1962	1	01020	BORON, DISSOLVED (UG/L AS B)		400.	
	7 / 23 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
6532902	4 / 22 / 1997	1	00010	TEMPERATURE, WATER (CELSIUS)		25.1	
	5 / 1 / 2001	1	00010	TEMPERATURE, WATER (CELSIUS)		24.5	
	6 / 15 / 2006	1	00010	TEMPERATURE, WATER (CELSIUS)		24.6	
	7 / 17 / 1990	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-53.4	
	7 / 17 / 1990	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.2	
	4 / 22 / 1997	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.2	
	7 / 17 / 1990	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 17 / 1990	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 17 / 1990	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.2	
	4 / 22 / 1997	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.55	
	4 / 22 / 1997	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	5 / 1 / 2001	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6 / 15 / 2006	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	7 / 17 / 1990	1	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)		0.12	
	7 / 17 / 1990	1	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	8 / 11 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	5 / 8 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	5 / 26 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		35	
	5 / 13 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	5 / 9 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		36	
	5 / 16 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		39	
	5 / 12 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		36	
	4 / 10 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		36	
	5 / 14 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		49	
	5 / 3 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		36	
	4 / 12 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		36	
	5 / 21 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		38	
	7 / 17 / 1990	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10	
	4 / 22 / 1997	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		1.8	
	5 / 1 / 2001	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		5.16	
	6 / 15 / 2006	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		1	
	7 / 17 / 1990	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		126	
	4 / 22 / 1997	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		193	
	5 / 1 / 2001	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		94.3	
	6 / 15 / 2006	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		120	
	4 / 22 / 1997	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5 / 1 / 2001	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 15 / 2006	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7 / 23 / 1962	1	01020	BORON, DISSOLVED (UG/L AS B)		400.	
	7 / 17 / 1990	1	01020	BORON, DISSOLVED (UG/L AS B)		400	
	4 / 22 / 1997	1	01020	BORON, DISSOLVED (UG/L AS B)		163	
	5 / 1 / 2001	1	01020	BORON, DISSOLVED (UG/L AS B)		257	
	6 / 15 / 2006	1	01020	BORON, DISSOLVED (UG/L AS B)		280	
	7 / 17 / 1990	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 1 / 2001	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6 / 15 / 2006	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	7 / 17 / 1990	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20	
	5 / 1 / 2001	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	6 / 15 / 2006	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3	
	4 / 22 / 1997	1	01035	COBALT, DISSOLVED (UG/L AS CO)		1.2	
	5 / 1 / 2001	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 15 / 2006	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7 / 17 / 1990	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20	
	4 / 22 / 1997	1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.5	
	5 / 1 / 2001	1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.51	
	6 / 15 / 2006	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	7 / 23 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	7 / 17 / 1990	1	01046	IRON, DISSOLVED (UG/L AS FE)		26	
	4 / 22 / 1997	1	01046	IRON, DISSOLVED (UG/L AS FE)		310.3	
	5 / 1 / 2001	1	01046	IRON, DISSOLVED (UG/L AS FE)		529	
	6 / 15 / 2006	1	01046	IRON, DISSOLVED (UG/L AS FE)		266	
	7 / 17 / 1990	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50	
	4 / 22 / 1997	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	5 / 1 / 2001	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 15 / 2006	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 17 / 1990	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		31	
	4 / 22 / 1997	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		342	
	5 / 1 / 2001	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		107	
	6 / 15 / 2006	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		47	
	4 / 22 / 1997	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5 / 1 / 2001	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 15 / 2006	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7 / 17 / 1990	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	20	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 22 / 1997	1	01060	MOLYBDENUM, DISSOLVED, UG/L		4.8	
	5 / 1 / 2001	1	01060	MOLYBDENUM, DISSOLVED, UG/L		3.86	
	6 / 15 / 2006	1	01060	MOLYBDENUM, DISSOLVED, UG/L		4	
	4 / 22 / 1997	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		6.1	
	5 / 1 / 2001	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	7 / 17 / 1990	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10	
	4 / 22 / 1997	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		570	
	5 / 1 / 2001	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		164	
	6 / 15 / 2006	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		210	
	7 / 17 / 1990	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	20	
	4 / 22 / 1997	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		2.7	
	5 / 1 / 2001	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6 / 15 / 2006	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1	
	7 / 17 / 1990	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20	
	4 / 22 / 1997	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		62.4	
	5 / 1 / 2001	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		7.89	
	6 / 15 / 2006	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		4	
	4 / 22 / 1997	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	5 / 1 / 2001	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 15 / 2006	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	7 / 17 / 1990	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	50	
	4 / 22 / 1997	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		2	
	5 / 1 / 2001	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	6 / 15 / 2006	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	1	
	4 / 22 / 1997	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		20	
	5 / 1 / 2001	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		12.8	
	6 / 15 / 2006	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		14	
	7 / 17 / 1990	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2	
	4 / 22 / 1997	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6532904	5 / 1 /2001	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6 /15 /2006	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1	
	7 /17 /1990	1	01503	ALPHA, DISSOLVED (PC/L)	<	2.0	
	7 /17 /1990	1	03503	BETA, DISSOLVED (PC/L)	<	4.0	
	5 / 1 /2001	1	04241	GROSS ALPHA RADIATION,TOTAL, PRODUCED WATER(pCi/L)		0.1	0.9
	5 / 1 /2001	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		5.2	2.2
	7 /17 /1990	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		294	
	4 /22 /1997	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		164.0	
	5 / 1 /2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		302	
	6 /15 /2006	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		304	
	7 /17 /1990	1	71865	IODIDE (MG/L AS I)	<	0.1	
	4 /22 /1997	1	71865	IODIDE (MG/L AS I)	<	0.15	
	7 /17 /1990	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.5	
	4 /22 /1997	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.5	
	5 / 1 /2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.273	
	6 /15 /2006	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.15	
	7 /17 /1990	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	
6539110	7 /15 /1965	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	7 /26 /1965	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
6539310	9 /30 /1971	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	9 /30 /1971	1	01055	MANGANESE, TOTAL (UG/L AS MN)		0.	
6539310	4 /23 /1997	1	00010	TEMPERATURE, WATER (CELSIUS)		24.8	
	4 /30 /2001	1	00010	TEMPERATURE, WATER (CELSIUS)		24.7	
	6 /15 /2006	1	00010	TEMPERATURE, WATER (CELSIUS)		25.5	
	8 / 8 /2006	1	00010	TEMPERATURE, WATER (CELSIUS)		25.1	
	8 /27 /2009	1	00010	TEMPERATURE, WATER (CELSIUS)		24.9	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 1 / 2013	1	00010	TEMPERATURE, WATER (CELSIUS)		24.5	
	7 / 17 / 1990	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-108.8	
	4 / 23 / 1997	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-152.1	
	8 / 27 / 2009	1	00300	OXYGEN, DISSOLVED (MG/L)		0.5	
	7 / 17 / 1990	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.11	
	4 / 23 / 1997	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.14	
	7 / 17 / 1990	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 17 / 1990	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 17 / 1990	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.2	
	4 / 23 / 1997	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.44	
	4 / 23 / 1997	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	4 / 30 / 2001	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6 / 15 / 2006	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	8 / 8 / 2006	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	8 / 27 / 2009	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	8 / 27 / 2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.039	
	7 / 17 / 1990	1	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)		0.05	
	7 / 17 / 1990	1	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	<	1	
	7 / 17 / 1990	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10	
	4 / 23 / 1997	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		2.1	
	4 / 30 / 2001	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6 / 15 / 2006	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		1	
	8 / 8 / 2006	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		4	
	8 / 27 / 2009	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	7 / 17 / 1990	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		159	
	4 / 23 / 1997	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		187	
	4 / 30 / 2001	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		236	
	6 / 15 / 2006	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		299	
	8 / 8 / 2006	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		222	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	8 / 27 / 2009	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		252	
	4 / 23 / 1997	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4 / 30 / 2001	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 15 / 2006	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	8 / 8 / 2006	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	8 / 27 / 2009	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	7 / 17 / 1990	1	01020	BORON, DISSOLVED (UG/L AS B)		250	
	4 / 23 / 1997	1	01020	BORON, DISSOLVED (UG/L AS B)		211	
	4 / 30 / 2001	1	01020	BORON, DISSOLVED (UG/L AS B)		227	
	6 / 15 / 2006	1	01020	BORON, DISSOLVED (UG/L AS B)		210	
	8 / 8 / 2006	1	01020	BORON, DISSOLVED (UG/L AS B)		301	
	8 / 27 / 2009	1	01020	BORON, DISSOLVED (UG/L AS B)		234	
	7 / 17 / 1990	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10	
	4 / 30 / 2001	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6 / 15 / 2006	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	8 / 8 / 2006	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	8 / 27 / 2009	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	7 / 17 / 1990	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20	
	4 / 30 / 2001	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	6 / 15 / 2006	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2	
	8 / 8 / 2006	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	8 / 27 / 2009	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02	
	4 / 23 / 1997	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4 / 30 / 2001	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 15 / 2006	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	8 / 8 / 2006	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	8 / 27 / 2009	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	7 / 17 / 1990	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20	
	4 / 23 / 1997	1	01040	COPPER, DISSOLVED (UG/L AS CU)		20.2	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 30 / 2001	1	01040	COPPER, DISSOLVED (UG/L AS CU)		7.13	
	6 / 15 / 2006	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	8 / 8 / 2006	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	8 / 27 / 2009	1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.03	
	6 / 13 / 1985	1	01045	IRON, TOTAL (UG/L AS FE)		50	
	7 / 17 / 1990	1	01046	IRON, DISSOLVED (UG/L AS FE)		96	
	4 / 23 / 1997	1	01046	IRON, DISSOLVED (UG/L AS FE)		161.1	
	4 / 30 / 2001	1	01046	IRON, DISSOLVED (UG/L AS FE)		113	
	6 / 15 / 2006	1	01046	IRON, DISSOLVED (UG/L AS FE)		116	
	8 / 8 / 2006	1	01046	IRON, DISSOLVED (UG/L AS FE)		120	
	8 / 27 / 2009	1	01046	IRON, DISSOLVED (UG/L AS FE)		110	
	7 / 17 / 1990	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50	
	4 / 23 / 1997	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	4 / 30 / 2001	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 15 / 2006	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	8 / 8 / 2006	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	8 / 27 / 2009	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	6 / 13 / 1985	1	01055	MANGANESE, TOTAL (UG/L AS MN)		40	
	7 / 17 / 1990	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		38	
	4 / 23 / 1997	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		49.2	
	4 / 30 / 2001	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		52.8	
	6 / 15 / 2006	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		65	
	8 / 8 / 2006	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		43	
	8 / 27 / 2009	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		56.5	
	4 / 23 / 1997	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4 / 30 / 2001	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 15 / 2006	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	8 / 8 / 2006	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	8 / 27 / 2009	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 17 / 1990	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	20	
	4 / 23 / 1997	1	01060	MOLYBDENUM, DISSOLVED, UG/L		2.7	
	4 / 30 / 2001	1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.65	
	6 / 15 / 2006	1	01060	MOLYBDENUM, DISSOLVED, UG/L		2	
	8 / 8 / 2006	1	01060	MOLYBDENUM, DISSOLVED, UG/L		4	
	8 / 27 / 2009	1	01060	MOLYBDENUM, DISSOLVED, UG/L		2.05	
	4 / 23 / 1997	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		2.9	
	4 / 30 / 2001	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	7 / 17 / 1990	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10	
	8 / 27 / 2009	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.02	
	4 / 23 / 1997	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		409	
	4 / 30 / 2001	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		480	
	6 / 15 / 2006	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		553	
	8 / 8 / 2006	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		393	
	8 / 27 / 2009	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		539	
	7 / 17 / 1990	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	20	
	4 / 23 / 1997	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		5	
	4 / 30 / 2001	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6 / 15 / 2006	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	8 / 8 / 2006	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	8 / 27 / 2009	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	7 / 17 / 1990	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20	
	4 / 23 / 1997	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		13.3	
	4 / 30 / 2001	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	6 / 15 / 2006	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	1	
	8 / 8 / 2006	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		2	
	8 / 27 / 2009	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	
	4 / 23 / 1997	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4 / 30 / 2001	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	6 / 15 / 2006	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	8 / 8 / 2006	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	8 / 27 / 2009	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	7 / 17 / 1990	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	50	
	4 / 23 / 1997	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		3.8	
	4 / 30 / 2001	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	6 / 15 / 2006	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	1	
	8 / 8 / 2006	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		5	
	8 / 27 / 2009	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	4 / 23 / 1997	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		16.8	
	4 / 30 / 2001	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		16.4	
	6 / 15 / 2006	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		18	
	8 / 8 / 2006	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		19	
	8 / 27 / 2009	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		17.2	
	7 / 17 / 1990	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2	
	4 / 23 / 1997	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	
	4 / 30 / 2001	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6 / 15 / 2006	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1	
	8 / 8 / 2006	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1	
	8 / 27 / 2009	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	7 / 17 / 1990	1	01503	ALPHA, DISSOLVED (PC/L)	<	2.0	
	8 / 8 / 2006	1	01503	ALPHA, DISSOLVED (PC/L)		2.9	0.6
	8 / 27 / 2009	1	01503	ALPHA, DISSOLVED (PC/L)		8.7	2.5
	7 / 17 / 1990	1	03503	BETA, DISSOLVED (PC/L)	<	4.0	
	4 / 30 / 2001	1	04241	GROSS ALPHA RADIATION,TOTAL, PRODUCED WATER(pCi/L)		0.2	1.1
	4 / 30 / 2001	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		1.4	2
	8 / 8 / 2006	1	07012	TRITIUM IN WATER (TRITIUM UNITS)		0.02	0.09
	8 / 27 / 2009	1	09511	RADIUM 226, DISSOLVED, RADON METHOD, PC/L		0.28	0.16
	8 / 27 / 2009	1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.02	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6539503	8 / 8 /2006	1	28004	CARBON-14 DISS APPARENT AGE (YEARS BP)		31520	330
	7 /17 /1990	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		264	
	4 /23 /1997	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		278.0	
	4 /30 /2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		260	
	6 /15 /2006	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		284	
	8 / 8 /2006	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		298	
	8 /27 /2009	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		263	
	5 / 1 /2013	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		290	
	8 / 8 /2006	1	49482	CHLORINE-36 ISOTOPIC RATIO, WATER, UNFILTERED		1276.00	67.66
	8 / 8 /2006	1	50790	OXYGEN-18, EXPRESSED AS PERMIL VSMOW		-4.6	0.3
	8 / 8 /2006	1	50791	DEUTERIUM, EXPRESSED AS PERMIL VSMOW		-21	1
	8 /27 /2009	1	50938	ANION/CATION CHG BAL, PERCENT		-1.46	
	6 /13 /1985	1	70300	RESIDUE, TOTAL FILTERABLE (DRIED AT 180C), MG/L		415	
	7 /17 /1990	1	71865	IODIDE (MG/L AS I)	<	0.1	
	4 /23 /1997	1	71865	IODIDE (MG/L AS I)	<	0.15	
	7 /17 /1990	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.4	
	4 /23 /1997	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.5	
	4 /30 /2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.125	
	6 /15 /2006	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.72	
	8 / 8 /2006	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.2	
	8 /27 /2009	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.18	
	7 /17 /1990	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	
	8 /27 /2009	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
	8 /27 /2009	1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)	<	1.1	0.7
	8 / 8 /2006	1	82081	CARBON-13 / CARBON-12 STABLE ISOTOPE RATIO PER MIL		-12.0	
	8 / 8 /2006	1	82172	CARBON-14 FRACTION MODERN		0.0198	0.0008
	12 / 8 /1966	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	
	12 / 8 /1966	1	01045	IRON, TOTAL (UG/L AS FE)		1500.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6539601	12 / 9 /1966	1	01045	IRON, TOTAL (UG/L AS FE)		400.	
	11 / 15 /1966	1	01020	BORON, DISSOLVED (UG/L AS B)		300.	
	11 / 15 /1966	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
6540102							
6540201	5 / 11 /1956	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	
	5 / 18 /1964	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	
6540213							
6540214	4 / 19 /1968	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	8 / 19 /1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	9 / 3 /1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
6540401							
	7 / 19 /1990	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		89.4	
	7 / 19 /1990	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.15	
	7 / 19 /1990	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 19 /1990	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 19 /1990	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.3	
	7 / 19 /1990	1	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)		0.06	
	7 / 19 /1990	1	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	<	1	
	5 / 1 /1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		47	
	11 / 13 /1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		70	
	7 / 12 /1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		74	
	11 / 29 /1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		79	
	11 / 8 /1955	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		76	
	5 / 10 /1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		88	
	11 / 9 /1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		82	
	11 / 13 /1957	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		78	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	11 / 19 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		78	
	5 / 15 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		47	
	11 / 2 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		80	
	5 / 10 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		79	
	11 / 14 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		80	
	5 / 16 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		83	
	8 / 10 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		82	
	5 / 9 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		78	
	7 / 27 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		61	
	11 / 16 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		82	
	5 / 10 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		86	
	7 / 19 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		86	
	5 / 12 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		82	
	11 / 10 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		93	
	11 / 17 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		86	
	5 / 17 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		88	
	11 / 9 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		96	
	5 / 12 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		92	
	5 / 14 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		88	
	11 / 7 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		88	
	5 / 13 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		86	
	11 / 13 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		86	
	11 / 10 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		88	
	5 / 20 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		90	
	11 / 4 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		84	
	5 / 10 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		88	
	11 / 27 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		88	
	4 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		87	
	11 / 13 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		90	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6540407	5 / 9 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		86	
	7 / 19 / 1990	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10	
	7 / 19 / 1990	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		198	
	4 / 1 / 1970	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	
	7 / 19 / 1990	1	01020	BORON, DISSOLVED (UG/L AS B)		310	
	7 / 19 / 1990	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10	
	7 / 19 / 1990	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20	
	7 / 19 / 1990	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20	
	4 / 1 / 1970	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	7 / 19 / 1990	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	20	
	7 / 19 / 1990	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50	
	4 / 1 / 1970	1	01055	MANGANESE, TOTAL (UG/L AS MN)		0.	
	7 / 19 / 1990	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		54	
	7 / 19 / 1990	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	20	
	7 / 19 / 1990	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10	
	7 / 19 / 1990	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	20	
	7 / 19 / 1990	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20	
	7 / 19 / 1990	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	50	
	7 / 19 / 1990	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2	
	7 / 19 / 1990	1	01503	ALPHA, DISSOLVED (PC/L)		2.2	1.9
	7 / 19 / 1990	1	03503	BETA, DISSOLVED (PC/L)	<	4.0	
	7 / 19 / 1990	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		278	
	7 / 19 / 1990	1	71865	IODIDE (MG/L AS I)	<	0.1	
	7 / 19 / 1990	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.5	
	7 / 19 / 1990	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	
	12 / 29 / 1966	1	01020	BORON, DISSOLVED (UG/L AS B)		100.	
	12 / 30 / 1966	1	01020	BORON, DISSOLVED (UG/L AS B)		300.	
	12 / 29 / 1966	1	01045	IRON, TOTAL (UG/L AS FE)		100.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6540408	12 / 30 / 1966	1	01045	IRON, TOTAL (UG/L AS FE)		500.	
	1 / 10 / 1967	1	01045	IRON, TOTAL (UG/L AS FE)		300.	
6540411	11 / 5 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		71	
	5 / 10 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		72	
	11 / 27 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		74	
	4 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		72	
	5 / 10 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		78	
	4 / 17 / 1969	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
6540412	8 / 9 / 2006	1	00010	TEMPERATURE, WATER (CELSIUS)		26.0	
	8 / 9 / 2006	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	11 / 5 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		72	
	5 / 10 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		72	
	11 / 27 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		73	
	4 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		70	
	8 / 9 / 2006	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	8 / 9 / 2006	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		207	
	8 / 9 / 2006	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5 / 25 / 1971	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	
	8 / 9 / 2006	1	01020	BORON, DISSOLVED (UG/L AS B)		230	
	8 / 9 / 2006	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	8 / 9 / 2006	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1	
	8 / 9 / 2006	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	8 / 9 / 2006	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	3 / 13 / 1969	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	4 / 4 / 1969	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	5 / 25 / 1971	1	01045	IRON, TOTAL (UG/L AS FE)		0.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6540501	8 / 9 / 2006	1	01046	IRON, DISSOLVED (UG/L AS FE)		152	
	8 / 9 / 2006	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	5 / 25 / 1971	1	01055	MANGANESE, TOTAL (UG/L AS MN)		0.	
	8 / 9 / 2006	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		56	
	8 / 9 / 2006	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	8 / 9 / 2006	1	01060	MOLYBDENUM, DISSOLVED, UG/L		1	
	8 / 9 / 2006	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		429	
	8 / 9 / 2006	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	8 / 9 / 2006	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		2	
	8 / 9 / 2006	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	8 / 9 / 2006	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	1	
	8 / 9 / 2006	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		19	
	8 / 9 / 2006	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1	
	8 / 9 / 2006	1	01503	ALPHA, DISSOLVED (PC/L)		3.2	0.6
	8 / 9 / 2006	1	07012	TRITIUM IN WATER (TRITIUM UNITS)		0.05	0.09
	8 / 9 / 2006	1	28004	CARBON-14 DISS APPARENT AGE (YEARS BP)		30910	420
	8 / 9 / 2006	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		267	
	8 / 8 / 2006	1	49482	CHLORINE-36 ISOTOPIC RATIO, WATER, UNFILTERED		28.45	5.41
	8 / 9 / 2006	1	50790	OXYGEN-18, EXPRESSED AS PERMIL VSMOW		-4.6	0.3
	8 / 9 / 2006	1	50791	DEUTERIUM, EXPRESSED AS PERMIL VSMOW		-20	1
	8 / 9 / 2006	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.8	
	8 / 9 / 2006	1	82081	CARBON-13 / CARBON-12 STABLE ISOTOPE RATIO PER MIL		-13.3	
	8 / 9 / 2006	1	82172	CARBON-14 FRACTION MODERN		0.0213	0.0011
	7 / 17 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		27	
6540503	4 / 23 / 1997	1	00010	TEMPERATURE, WATER (CELSIUS)		26.0	
	5 / 1 / 2001	1	00010	TEMPERATURE, WATER (CELSIUS)		25.8	
	4 / 23 / 1997	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-257.1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 23 / 1997	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.13	
	4 / 23 / 1997	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.91	
	4 / 23 / 1997	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	5 / 1 / 2001	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	11 / 17 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		69	
	7 / 12 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		58	
	11 / 29 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		58	
	11 / 8 / 1955	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		58	
	5 / 10 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		59	
	11 / 9 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		64	
	5 / 22 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		65	
	11 / 19 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		60	
	5 / 15 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		40	
	11 / 2 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
	5 / 10 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
	11 / 14 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
	5 / 16 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		54	
	8 / 10 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		55	
	7 / 27 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		58	
	8 / 3 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		57	
	5 / 10 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		59	
	5 / 12 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
	5 / 25 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		58	
	5 / 17 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
	5 / 12 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		58	
	5 / 14 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		61	
	11 / 7 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		51	
	5 / 13 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		57	
	11 / 13 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	11 / 10 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		63	
	5 / 20 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		60	
	11 / 4 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		55	
	5 / 10 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		57	
	11 / 27 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		55	
	4 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		55	
	5 / 9 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		53	
	4 / 23 / 1997	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.5	
	5 / 1 / 2001	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4 / 23 / 1997	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		139	
	5 / 1 / 2001	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		148	
	4 / 23 / 1997	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5 / 1 / 2001	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4 / 7 / 1970	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	
	4 / 23 / 1997	1	01020	BORON, DISSOLVED (UG/L AS B)		204	
	5 / 1 / 2001	1	01020	BORON, DISSOLVED (UG/L AS B)		219	
	5 / 1 / 2001	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	5 / 1 / 2001	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	4 / 23 / 1997	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	5 / 1 / 2001	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	4 / 23 / 1997	1	01040	COPPER, DISSOLVED (UG/L AS CU)		3	
	5 / 1 / 2001	1	01040	COPPER, DISSOLVED (UG/L AS CU)		5.62	
	4 / 7 / 1970	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	4 / 23 / 1997	1	01046	IRON, DISSOLVED (UG/L AS FE)		56.8	
	5 / 1 / 2001	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	4 / 23 / 1997	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	5 / 1 / 2001	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	4 / 7 / 1970	1	01055	MANGANESE, TOTAL (UG/L AS MN)		100.	
	4 / 23 / 1997	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		31.1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 1 / 2001	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		33.7	
	4 / 23 / 1997	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5 / 1 / 2001	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4 / 23 / 1997	1	01060	MOLYBDENUM, DISSOLVED, UG/L		2.5	
	5 / 1 / 2001	1	01060	MOLYBDENUM, DISSOLVED, UG/L		2.11	
	4 / 23 / 1997	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		1.8	
	5 / 1 / 2001	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	4 / 23 / 1997	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		252	
	5 / 1 / 2001	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		289	
	4 / 23 / 1997	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		4.6	
	5 / 1 / 2001	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	4 / 23 / 1997	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		12	
	5 / 1 / 2001	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	4 / 23 / 1997	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	5 / 1 / 2001	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4 / 23 / 1997	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		4.6	
	5 / 1 / 2001	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	4 / 23 / 1997	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		15.3	
	5 / 1 / 2001	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		15.9	
	4 / 23 / 1997	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	
	5 / 1 / 2001	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	5 / 1 / 2001	1	04241	GROSS ALPHA RADIATION,TOTAL, PRODUCED WATER(pCi/L)		0.0	1.1
	5 / 1 / 2001	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		2.9	2
	4 / 23 / 1997	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		270.0	
	5 / 1 / 2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		268	
	4 / 23 / 1997	1	71865	IODIDE (MG/L AS I)	<	0.15	
	4 / 23 / 1997	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.5	
	5 / 1 / 2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.225	
	4 / 23 / 1997	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		8.0	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6540614							
	11 / 17 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		48	
6540616							
	5 / 16 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		61	
	7 / 18 / 1963	1	01020	BORON, DISSOLVED (UG/L AS B)		400.	
	7 / 18 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
6540701							
	5 / 10 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		99	
	11 / 14 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		97	
	5 / 16 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		99	
	5 / 3 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		105	
	11 / 16 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		104	
	5 / 10 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		107	
	5 / 12 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		98	
	11 / 10 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		118	
	5 / 17 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		126	
	11 / 19 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		140	
	5 / 12 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		120	
	5 / 14 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		127	
	11 / 7 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		133	
	11 / 13 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		140	
	4 / 7 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		140	
	8 / 10 / 1961	1	01020	BORON, DISSOLVED (UG/L AS B)		100.	
	8 / 10 / 1961	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	11 / 15 / 1965	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
6540702							
	11 / 21 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		159	
6540703							
	5 / 1 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		57	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	11 / 13 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		66	
	5 / 11 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		61	
	11 / 29 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		70	
	11 / 8 / 1955	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		70	
	5 / 10 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		59	
	11 / 9 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		78	
	11 / 13 / 1957	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		70	
	5 / 22 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		78	
	11 / 19 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		72	
	5 / 15 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		46	
	11 / 2 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		70	
	5 / 10 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		70	
	11 / 14 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		70	
	5 / 16 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		70	
	8 / 10 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		70	
	5 / 3 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		74	
	7 / 27 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		60	
	11 / 16 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		72	
	5 / 12 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		64	
	5 / 25 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		74	
	5 / 17 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		74	
	11 / 9 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		88	
	5 / 12 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		76	
	5 / 14 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		80	
	11 / 7 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		74	
	5 / 13 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		78	
	11 / 13 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		76	
	11 / 10 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		96	
	11 / 4 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		77	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6540704	5 / 10 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		82	
	11 / 27 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		82	
	4 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		79	
	11 / 13 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		80	
	7 / 30 / 1970	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	
	5 / 20 / 1971	1	01020	BORON, DISSOLVED (UG/L AS B)		300.	
	11 / 15 / 1965	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	7 / 30 / 1970	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	5 / 20 / 1971	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	7 / 30 / 1970	1	01055	MANGANESE, TOTAL (UG/L AS MN)		100.	
	5 / 20 / 1971	1	01055	MANGANESE, TOTAL (UG/L AS MN)		0.	
	11 / 13 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		61	
	7 / 12 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		66	
	11 / 29 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		66	
	11 / 8 / 1955	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		68	
	5 / 10 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		66	
	11 / 9 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		70	
	11 / 13 / 1957	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		66	
	5 / 22 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		72	
	5 / 28 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		66	
	11 / 2 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		67	
	5 / 10 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		66	
	11 / 14 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		66	
	8 / 10 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		65	
	5 / 3 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		68	
	5 / 12 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		59	
	5 / 25 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		69	
	11 / 9 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		72	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6540706	5 / 12 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		70	
	5 / 14 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		76	
	11 / 7 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		68	
	5 / 13 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		70	
	11 / 13 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		71	
	5 / 20 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		72	
	5 / 10 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		74	
	4 / 7 / 1970	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	
	4 / 7 / 1970	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	4 / 7 / 1970	1	01055	MANGANESE, TOTAL (UG/L AS MN)		100.	
	7 / 19 / 1990	1	00010	TEMPERATURE, WATER (CELSIUS)		27.4	
	7 / 19 / 1990	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		67.6	
	7 / 19 / 1990	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.17	
	7 / 19 / 1990	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 19 / 1990	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 19 / 1990	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.3	
	7 / 19 / 1990	1	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)		0.03	
	7 / 19 / 1990	1	00680	CARBON, TOTAL ORGANIC (MG/L AS C)		1	
	5 / 22 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		117	
	11 / 19 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		136	
	5 / 15 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		78	
	11 / 2 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		136	
	5 / 10 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		132	
	8 / 10 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		136	
	5 / 16 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		156	
	11 / 16 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		138	
	5 / 10 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		144	
	5 / 17 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		145	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	5 / 12 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		148	
	5 / 14 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		96	
	11 / 7 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		144	
	5 / 13 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		144	
	5 / 20 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		150	
	7 / 19 / 1990	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10	
	7 / 19 / 1990	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		387	
	11 / 9 / 1966	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	
	7 / 30 / 1970	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	
	7 / 19 / 1990	1	01020	BORON, DISSOLVED (UG/L AS B)		390	
	7 / 19 / 1990	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10	
	7 / 19 / 1990	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20	
	7 / 19 / 1990	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20	
	11 / 9 / 1966	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	7 / 30 / 1970	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	7 / 19 / 1990	1	01046	IRON, DISSOLVED (UG/L AS FE)		64	
	7 / 19 / 1990	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50	
	7 / 30 / 1970	1	01055	MANGANESE, TOTAL (UG/L AS MN)		100.	
	7 / 19 / 1990	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		106	
	7 / 19 / 1990	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	20	
	7 / 19 / 1990	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10	
	7 / 19 / 1990	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	20	
	7 / 19 / 1990	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20	
	7 / 19 / 1990	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	50	
	7 / 19 / 1990	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2	
	7 / 19 / 1990	1	01503	ALPHA, DISSOLVED (PC/L)		3.0	2.4
	7 / 19 / 1990	1	03503	BETA, DISSOLVED (PC/L)	<	4.0	
	7 / 19 / 1990	1	09503	RADIUM 226, DISSOLVED, PC/L		0.4	0.2
	7 / 19 / 1990	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		278	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6540802	7 / 19 / 1990	1	71865	IODIDE (MG/L AS I)	<	0.1	
	7 / 19 / 1990	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.5	
	7 / 19 / 1990	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	
	7 / 19 / 1990	1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)	<	1.0	
6540802	5 / 1 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		50	
	11 / 13 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		52	
	5 / 11 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
	11 / 29 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		58	
	11 / 8 / 1955	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
	5 / 10 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		58	
	11 / 9 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		60	
	11 / 13 / 1957	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		58	
	5 / 22 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		59	
	11 / 19 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
	5 / 15 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		54	
	11 / 2 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
	5 / 10 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		55	
	5 / 16 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		66	
	8 / 10 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
	5 / 3 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		59	
	11 / 16 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
	5 / 10 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		57	
	5 / 12 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		57	
	11 / 10 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		69	
	5 / 25 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		69	
	11 / 9 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		58	
	5 / 12 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		57	
	5 / 14 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		57	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6540901	11 / 7 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		54	
	5 / 13 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
	11 / 13 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		54	
	11 / 10 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		67	
	11 / 4 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		54	
	5 / 10 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		58	
	11 / 27 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		54	
	4 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		56	
	11 / 15 / 1965	1	01020	BORON, DISSOLVED (UG/L AS B)		300.	
	5 / 20 / 1971	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	
	11 / 15 / 1965	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	5 / 20 / 1971	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	5 / 20 / 1971	1	01055	MANGANESE, TOTAL (UG/L AS MN)		0.	
6540903	5 / 18 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		48	
	5 / 19 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		48	
	11 / 8 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		46	
	11 / 12 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		46	
	4 / 2 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		48	
	11 / 13 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		47	
	11 / 9 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		45	
	5 / 13 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		45	
	7 / 18 / 1963	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	
	7 / 18 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
6548102	5 / 13 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		53	
	1 / 14 / 1970	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
6548102	5 / 19 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		83	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6548110	5 / 17 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		74	
	5 / 16 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		105	
	4 / 10 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		120	
	5 / 26 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		130	
	5 / 17 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		120	
	4 / 23 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		120	
	11 / 17 / 1965	1	01020	BORON, DISSOLVED (UG/L AS B)		300.	
	11 / 17 / 1965	1	01045	IRON, TOTAL (UG/L AS FE)		300.	
6548111	11 / 4 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		250	
6548201	11 / 4 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		220	
6548202	3 / 24 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		111	
	11 / 5 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		111	
	5 / 15 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		96	
	5 / 10 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		98	
	5 / 16 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		97	
	7 / 27 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		92	
	7 / 19 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		100	
	5 / 12 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		80	
	11 / 18 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		86	
	4 / 7 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		160	
	8 / 15 / 1961	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	
	7 / 16 / 1969	1	01020	BORON, DISSOLVED (UG/L AS B)		300.	
	8 / 15 / 1961	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	7 / 16 / 1969	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	8 / 9 / 2006	1	00010	TEMPERATURE, WATER (CELSIUS)		27.0	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	8 / 9 /2006	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	11 /14 /1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		136	
	5 /16 /1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		171	
	5 / 3 /1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		170	
	11 /16 /1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		173	
	5 /10 /1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		170	
	5 /12 /1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		171	
	5 /17 /1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		188	
	5 /12 /1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		145	
	11 / 7 /1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		170	
	5 /13 /1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		218	
	11 /13 /1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		210	
	4 / 7 /1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		210	
	11 /10 /1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		210	
	8 / 9 /2006	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	8 / 9 /2006	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		495	
	8 / 9 /2006	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	8 /10 /1961	1	01020	BORON, DISSOLVED (UG/L AS B)		400.	
	11 /15 /1965	1	01020	BORON, DISSOLVED (UG/L AS B)		300.	
	7 /16 /1969	1	01020	BORON, DISSOLVED (UG/L AS B)		400.	
	8 / 9 /2006	1	01020	BORON, DISSOLVED (UG/L AS B)		316	
	8 / 9 /2006	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	8 / 9 /2006	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1	
	8 / 9 /2006	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	8 / 9 /2006	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	8 /10 /1961	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	11 /15 /1965	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	7 /16 /1969	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	8 / 9 /2006	1	01046	IRON, DISSOLVED (UG/L AS FE)		192	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6548203	8 / 9 / 2006	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	8 / 9 / 2006	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		100	
	8 / 9 / 2006	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	8 / 9 / 2006	1	01060	MOLYBDENUM, DISSOLVED, UG/L		2	
	8 / 9 / 2006	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		898	
	8 / 9 / 2006	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	8 / 9 / 2006	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		6	
	8 / 9 / 2006	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	8 / 9 / 2006	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	1	
	8 / 9 / 2006	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		29	
	8 / 9 / 2006	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1	
	8 / 9 / 2006	1	01503	ALPHA, DISSOLVED (PC/L)		6.6	1.3
	8 / 9 / 2006	1	07012	TRITIUM IN WATER (TRITIUM UNITS)		-0.07	0.09
	8 / 9 / 2006	1	28004	CARBON-14 DISS APPARENT AGE (YEARS BP)		31220	320
	8 / 9 / 2006	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		284	
	8 / 9 / 2006	1	50790	OXYGEN-18, EXPRESSED AS PER MIL VSMOW		-4.8	0.3
	8 / 9 / 2006	1	50791	DEUTERIUM, EXPRESSED AS PER MIL VSMOW		-21	1
	8 / 9 / 2006	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		4.7	
	8 / 9 / 2006	1	82081	CARBON-13 / CARBON-12 STABLE ISOTOPE RATIO PER MIL		-12.8	
	8 / 9 / 2006	1	82172	CARBON-14 FRACTION MODERN		0.0205	0.0008
6548204	7 / 19 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
6548204	11 / 9 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		200	
	5 / 14 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		188	
	11 / 15 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		211	
	5 / 13 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		218	
	11 / 13 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		212	
	4 / 7 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		220	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6548207	11 / 10 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		220	
	5 / 10 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		280	
	11 / 4 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		200	
	11 / 21 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		220	
	4 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		210	
	5 / 9 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		200	
	11 / 15 / 1965	1	01020	BORON, DISSOLVED (UG/L AS B)		300.	
	7 / 30 / 1970	1	01020	BORON, DISSOLVED (UG/L AS B)		400.	
	11 / 15 / 1965	1	01045	IRON, TOTAL (UG/L AS FE)		300.	
	7 / 30 / 1970	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	7 / 30 / 1970	1	01055	MANGANESE, TOTAL (UG/L AS MN)		200.	
6548209	11 / 27 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		88	
	5 / 11 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		88	
6548209							
	5 / 1 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		127	
	11 / 13 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		121	
	5 / 11 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		123	
	11 / 29 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		131	
	5 / 6 / 1955	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		134	
	11 / 8 / 1955	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		139	
	5 / 10 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		140	
	11 / 9 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		151	
	11 / 13 / 1957	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		154	
	11 / 5 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		110	
	5 / 15 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		102	
	11 / 10 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		164	
	5 / 10 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		168	
	5 / 16 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		173	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6548210	5 / 3 /1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		191	
	5 /10 /1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		200	
	8 /17 /1961	1	01020	BORON, DISSOLVED (UG/L AS B)		300.	
	8 /17 /1961	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	11 /26 /1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		217	
	5 /24 /1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		201	
	7 /16 /1969	1	01020	BORON, DISSOLVED (UG/L AS B)		400.	
	7 /16 /1969	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
6548211	11 /26 /1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		185	
	7 /12 /1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		192	
	11 /29 /1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		200	
	11 / 8 /1955	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		197	
	11 /13 /1957	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		192	
	5 /22 /1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		143	
	11 / 5 /1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		144	
	5 /15 /1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		132	
	5 /10 /1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		175	
	5 /16 /1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		167	
	5 / 3 /1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		170	
	7 /27 /1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		168	
	5 /10 /1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		154	
	5 /12 /1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		171	
	5 /17 /1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		168	
	5 /12 /1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		161	
	5 /14 /1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		151	
	11 / 7 /1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		147	
	5 /13 /1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		152	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6548212	11 / 13 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		152	
	4 / 7 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		160	
	11 / 10 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		130	
	5 / 20 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		180	
	11 / 27 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		140	
	7 / 16 / 1969	1	01020	BORON, DISSOLVED (UG/L AS B)		500.	
	7 / 16 / 1969	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	5 / 11 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		130	
	11 / 29 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		140	
	11 / 8 / 1955	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		116	
	5 / 10 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		130	
	11 / 9 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		147	
	5 / 22 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		134	
	11 / 5 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		127	
	5 / 10 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		94	
	5 / 16 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		117	
	5 / 3 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		130	
	7 / 27 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		138	
	5 / 10 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		147	
	5 / 12 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		127	
	5 / 25 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		125	
	5 / 17 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		132	
	5 / 12 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		120	
	11 / 7 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		137	
	5 / 13 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		134	
	4 / 7 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		120	
	5 / 20 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		110	
	7 / 16 / 1969	1	01020	BORON, DISSOLVED (UG/L AS B)		400.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6548213	8 / 24 / 1961	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	5 / 1 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		153	
	11 / 26 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		128	
	5 / 11 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		140	
	11 / 29 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		155	
	11 / 8 / 1955	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		156	
	11 / 5 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		109	
	11 / 13 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		240	
	4 / 7 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		240	
	5 / 20 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		280	
	11 / 4 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		240	
	11 / 27 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		230	
	11 / 16 / 1966	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	
	7 / 16 / 1969	1	01020	BORON, DISSOLVED (UG/L AS B)		400.	
	11 / 16 / 1966	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	7 / 16 / 1969	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
6548214	7 / 19 / 1990	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-67.8	
	7 / 19 / 1990	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.22	
	7 / 19 / 1990	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 19 / 1990	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 19 / 1990	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.4	
	7 / 19 / 1990	1	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)		0.05	
	7 / 19 / 1990	1	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	<	1	
	4 / 30 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		166	
	11 / 13 / 1953	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		160	
	5 / 11 / 1954	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		156	
	5 / 10 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		145	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	11 / 9 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		163	
	5 / 22 / 1958	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		147	
	5 / 15 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		123	
	11 / 2 / 1959	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		150	
	5 / 20 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		125	
	5 / 16 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		107	
	7 / 27 / 1962	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		127	
	11 / 10 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		158	
	11 / 17 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		102	
	4 / 7 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		140	
	11 / 4 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		130	
	5 / 10 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		130	
	11 / 21 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		140	
	4 / 25 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		130	
	5 / 9 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		120	
	7 / 19 / 1990	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10	
	7 / 19 / 1990	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		548	
	7 / 19 / 1963	1	01020	BORON, DISSOLVED (UG/L AS B)		400.	
	7 / 19 / 1990	1	01020	BORON, DISSOLVED (UG/L AS B)		550	
	7 / 19 / 1990	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10	
	7 / 19 / 1990	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20	
	7 / 19 / 1990	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20	
	7 / 19 / 1990	1	01046	IRON, DISSOLVED (UG/L AS FE)		1.9	
	7 / 19 / 1990	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50	
	7 / 19 / 1990	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		105	
	7 / 19 / 1990	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	20	
	7 / 19 / 1990	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10	
	7 / 19 / 1990	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	20	
	7 / 19 / 1990	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6548301	7 / 19 / 1990	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	50	
	7 / 19 / 1990	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2	
	7 / 19 / 1990	1	01503	ALPHA, DISSOLVED (PC/L)		5.2	2.4
	7 / 19 / 1990	1	03503	BETA, DISSOLVED (PC/L)	<	4.0	
	7 / 19 / 1990	1	09503	RADIUM 226, DISSOLVED, PC/L		0.3	0.1
	7 / 19 / 1990	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		274	
	7 / 19 / 1990	1	71865	IODIDE (MG/L AS I)	<	0.1	
	7 / 19 / 1990	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.8	
	7 / 19 / 1990	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	
	7 / 19 / 1990	1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)	<	1.0	
	5 / 5 / 1960	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		25	
	4 / 3 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	8 / 10 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	5 / 15 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	5 / 16 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		26	
	11 / 15 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	5 / 10 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	5 / 16 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		33	
	5 / 9 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		29	
	11 / 14 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		28	
	4 / 6 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	5 / 17 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	11 / 5 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		33	
	5 / 9 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
	11 / 17 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		44	
	4 / 18 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		34	
	11 / 14 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		43	
	7 / 27 / 1962	1	01020	BORON, DISSOLVED (UG/L AS B)		400.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6548309	7 / 27 / 1962	1	01045	IRON, TOTAL (UG/L AS FE)		0.	
	5 / 9 / 1956	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		71	
6548316	4 / 21 / 1997	1	00010	TEMPERATURE, WATER (CELSIUS)		28.4	
	5 / 1 / 2001	1	00010	TEMPERATURE, WATER (CELSIUS)		28.1	
	7 / 19 / 1990	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-102.9	
	4 / 21 / 1997	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-510.9	
	7 / 19 / 1990	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.18	
	4 / 21 / 1997	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.36	
	7 / 19 / 1990	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	7 / 19 / 1990	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		0.03	
	4 / 21 / 1997	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.36	
	7 / 19 / 1990	1	00625	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)		0.3	
	4 / 21 / 1997	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.04	
	5 / 1 / 2001	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 19 / 1990	1	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)		0.05	
	7 / 19 / 1990	1	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	<	1	
	11 / 12 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		130	
	5 / 15 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		100	
	7 / 19 / 1990	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	10	
	4 / 21 / 1997	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.5	
	5 / 1 / 2001	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	7 / 19 / 1990	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		400	
	4 / 21 / 1997	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		338	
	5 / 1 / 2001	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		243	
	4 / 21 / 1997	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	5 / 1 / 2001	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4 / 6 / 1970	1	01020	BORON, DISSOLVED (UG/L AS B)		200.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	7 / 19 / 1990	1	01020	BORON, DISSOLVED (UG/L AS B)		470	
	4 / 21 / 1997	1	01020	BORON, DISSOLVED (UG/L AS B)		270	
	5 / 1 / 2001	1	01020	BORON, DISSOLVED (UG/L AS B)		265	
	7 / 19 / 1990	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	10	
	5 / 1 / 2001	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	7 / 19 / 1990	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	20	
	5 / 1 / 2001	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	4 / 21 / 1997	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	5 / 1 / 2001	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7 / 19 / 1990	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	20	
	4 / 21 / 1997	1	01040	COPPER, DISSOLVED (UG/L AS CU)		66.4	
	5 / 1 / 2001	1	01040	COPPER, DISSOLVED (UG/L AS CU)		3.35	
	10 / 13 / 1969	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	10 / 14 / 1969	1	01045	IRON, TOTAL (UG/L AS FE)		300.	
	4 / 6 / 1970	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	7 / 19 / 1990	1	01046	IRON, DISSOLVED (UG/L AS FE)		187	
	4 / 21 / 1997	1	01046	IRON, DISSOLVED (UG/L AS FE)		286	
	5 / 1 / 2001	1	01046	IRON, DISSOLVED (UG/L AS FE)		167	
	7 / 19 / 1990	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	50	
	4 / 21 / 1997	1	01049	LEAD, DISSOLVED (UG/L AS PB)		6	
	5 / 1 / 2001	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 19 / 1990	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		47	
	4 / 21 / 1997	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		56.2	
	5 / 1 / 2001	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		43.1	
	4 / 21 / 1997	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	5 / 1 / 2001	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7 / 19 / 1990	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	20	
	4 / 21 / 1997	1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.8	
	5 / 1 / 2001	1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.07	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 21 / 1997	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		2.7	
	5 / 1 / 2001	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	7 / 19 / 1990	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10	
	4 / 21 / 1997	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		518	
	5 / 1 / 2001	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		404	
	7 / 19 / 1990	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	20	
	4 / 21 / 1997	1	01085	VANADIUM, DISSOLVED (UG/L AS V)		6.8	
	5 / 1 / 2001	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	7 / 19 / 1990	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	20	
	4 / 21 / 1997	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		1.9	
	5 / 1 / 2001	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	4 / 21 / 1997	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	5 / 1 / 2001	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	7 / 19 / 1990	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	50	
	4 / 21 / 1997	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		2	
	5 / 1 / 2001	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	4 / 21 / 1997	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		27.6	
	5 / 1 / 2001	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		24.1	
	7 / 19 / 1990	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2	
	4 / 21 / 1997	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	6	
	5 / 1 / 2001	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	7 / 19 / 1990	1	01503	ALPHA, DISSOLVED (PC/L)		3.6	2.7
	7 / 19 / 1990	1	03503	BETA, DISSOLVED (PC/L)	<	4.0	
	5 / 1 / 2001	1	04241	GROSS ALPHA RADIATION,TOTAL, PRODUCED WATER(pCi/L)		0.5	1.7
	5 / 1 / 2001	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		4.9	3.2
	7 / 19 / 1990	1	09503	RADIUM 226, DISSOLVED, PC/L		0.4	0.2
	7 / 19 / 1990	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		273	
	4 / 21 / 1997	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		276.0	
	5 / 1 / 2001	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		258	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6548317	7 / 19 / 1990	1	71865	IODIDE (MG/L AS I)	<	0.1	
	4 / 21 / 1997	1	71865	IODIDE (MG/L AS I)	<	0.15	
	7 / 19 / 1990	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.7	
	4 / 21 / 1997	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.5	
	5 / 1 / 2001	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.357	
	7 / 19 / 1990	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.2	
	7 / 19 / 1990	1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)	<	1.0	
6548501	5 / 20 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		35	
	6 / 6 / 1973	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	6 / 6 / 1973	1	01055	MANGANESE, TOTAL (UG/L AS MN)		0.	
6548502	7 / 22 / 1963	1	01020	BORON, DISSOLVED (UG/L AS B)		800.	
	7 / 22 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
6548502	8 / 9 / 2006	1	00010	TEMPERATURE, WATER (CELSIUS)		24.8	
	7 / 24 / 2009	1	00010	TEMPERATURE, WATER (CELSIUS)		26.8	
	5 / 1 / 2013	1	00010	TEMPERATURE, WATER (CELSIUS)		26.3	
	7 / 24 / 2009	1	00300	OXYGEN, DISSOLVED (MG/L)		3.4	
	8 / 9 / 2006	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.1	
	7 / 24 / 2009	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	7 / 24 / 2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.075	
	4 / 3 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		66	
	8 / 10 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		63	
	4 / 15 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		65	
	11 / 17 / 1965	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		64	
	5 / 16 / 1966	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		64	
	5 / 10 / 1967	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		63	
	5 / 16 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		65	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	11 / 13 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		62	
	5 / 9 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		63	
	11 / 14 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		64	
	4 / 6 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		65	
	11 / 12 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		62	
	5 / 17 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		68	
	11 / 5 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		66	
	11 / 17 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		73	
	4 / 18 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		71	
	11 / 14 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		77	
	5 / 15 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		86	
	8 / 9 / 2006	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	7 / 24 / 2009	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	8 / 9 / 2006	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		161	
	7 / 24 / 2009	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		150	
	8 / 9 / 2006	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	7 / 24 / 2009	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	7 / 19 / 1963	1	01020	BORON, DISSOLVED (UG/L AS B)		300.	
	8 / 9 / 2006	1	01020	BORON, DISSOLVED (UG/L AS B)		206	
	7 / 24 / 2009	1	01020	BORON, DISSOLVED (UG/L AS B)		205	
	8 / 9 / 2006	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	7 / 24 / 2009	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	8 / 9 / 2006	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	7 / 24 / 2009	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.64	
	8 / 9 / 2006	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	7 / 24 / 2009	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	8 / 9 / 2006	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1	
	7 / 24 / 2009	1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.09	
	7 / 19 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		0.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	8 / 9 / 2006	1	01046	IRON, DISSOLVED (UG/L AS FE)		131	
	7 / 24 / 2009	1	01046	IRON, DISSOLVED (UG/L AS FE)		73	
	8 / 9 / 2006	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	7 / 24 / 2009	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	8 / 9 / 2006	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		49	
	7 / 24 / 2009	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		46.6	
	8 / 9 / 2006	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	7 / 24 / 2009	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	8 / 9 / 2006	1	01060	MOLYBDENUM, DISSOLVED, UG/L		1	
	7 / 24 / 2009	1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.67	
	7 / 24 / 2009	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.02	
	8 / 9 / 2006	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		304	
	7 / 24 / 2009	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		300	
	8 / 9 / 2006	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	7 / 24 / 2009	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	8 / 9 / 2006	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		3	
	7 / 24 / 2009	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	
	8 / 9 / 2006	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	7 / 24 / 2009	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	8 / 9 / 2006	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	1	
	7 / 24 / 2009	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4.08	
	8 / 9 / 2006	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		18	
	7 / 24 / 2009	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		15.8	
	8 / 9 / 2006	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1	
	7 / 24 / 2009	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	8 / 9 / 2006	1	01503	ALPHA, DISSOLVED (PC/L)	<	1.0	
	7 / 24 / 2009	1	01503	ALPHA, DISSOLVED (PC/L)		7.4	2.6
	8 / 9 / 2006	1	07012	TRITIUM IN WATER (TRITIUM UNITS)		0.01	0.09
	7 / 24 / 2009	1	09511	RADIUM 226, DISSOLVED, RADON METHOD, PC/L		0.31	0.11

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6556801	7 / 24 / 2009	1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.02	
	8 / 9 / 2006	1	28004	CARBON-14 DISS APPARENT AGE (YEARS BP)		31080	310
	8 / 9 / 2006	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		280	
	7 / 24 / 2009	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		279	
	5 / 1 / 2013	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		278	
	8 / 9 / 2006	1	49482	CHLORINE-36 ISOTOPIC RATIO, WATER, UNFILTERED		55.40	3.92
	8 / 9 / 2006	1	50790	OXYGEN-18, EXPRESSED AS PERMIL VSMOW		-4.3	0.3
	8 / 9 / 2006	1	50791	DEUTERIUM, EXPRESSED AS PERMIL VSMOW		-17	1
	7 / 24 / 2009	1	50938	ANION/CATION CHG BAL, PERCENT		1.71	
	8 / 9 / 2006	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		1.5	
	7 / 24 / 2009	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.21	
	7 / 24 / 2009	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
	7 / 24 / 2009	1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)	<	1.1	0.6
	8 / 9 / 2006	1	82081	CARBON-13 / CARBON-12 STABLE ISOTOPE RATIO PER MIL		-13.2	
	8 / 9 / 2006	1	82172	CARBON-14 FRACTION MODERN		0.0209	0.0008
	7 / 20 / 1961	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		320	
	6 / 21 / 1957	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	7 / 20 / 1961	1	01045	IRON, TOTAL (UG/L AS FE)		32000.	
6556802	5 / 15 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		1540	
	11 / 17 / 1969	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		336	
	4 / 3 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		550	
	11 / 5 / 1970	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		420	
	5 / 26 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		460	
	5 / 8 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		340	
	11 / 14 / 1972	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		530	
	4 / 18 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		200	
	11 / 9 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		1000	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
6556803	11 / 13 / 1968	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
6556804	5 / 26 / 1971	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		240	
6556902	11 / 9 / 1973	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		170	
	5 / 14 / 1974	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		130	
	5 / 13 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		259	
	7 / 22 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		256	